



# EKURHULENI METROPOLITAN MUNICIPALITY

## Quarterly Water Quality Status of the BLESBOKSPRUIT Catchment

As on 2014/10/31

SAMPLE POINT	QUARTER	ELEMENT													
		AL	COD	CONDUCTIVITY	FCOLI	FE	MN	N	NA	NOX	P	PH	SS	SULPHATES	
BENONI AMATAPAN OUTLET	1	0.1	33.0	56.5	8 350.0	0.9	0.3	1.7	59.5	0.9	0.4	6.9	8.0	86.5	
	2	0.2	33.7	60.7	148.0	1.0	0.1	1.5	34.2	0.9	0.1	7.6	19.7	93.0	
	3	0.2	21.3	79.8	96.3	0.4	0.1	0.9	281.5	1.2	0.1	7.7	12.8	133.8	
	4	0.2	33.0	71.7	266.0	0.6	0.1	0.7	64.6	1.5	0.3	7.6	10.3	100.7	
BENONI CIVIC LAKE OUTLET: TOWN VOORTREKKER ST	1	0.1	39.0	28.0	3 000.0	0.2	0.1	0.4	14.8	0.2	0.6	7.5	16.0	51.0	
	2	0.1	27.3	34.3	3 400.0	0.6	0.1	0.3	22.3	0.5	0.1	7.8	8.3	41.7	
	3	0.1	26.3	34.5	235 160.0	0.4	0.1	1.1	29.2	0.3	0.1	7.7	11.3	50.3	
	4	0.1	32.0	35.5	851.5	0.7	0.3	1.5	19.0	0.5	0.3	7.8	5.0	40.5	
BENONI HOMESTEAD DAM	1	0.1	15.0	32.5	49.0	0.2	0.0	0.1	27.5	0.1	0.1	8.6	5.0	51.5	
	2	0.1	16.7	24.3	1 367.3	0.2	0.1	0.5	14.3	0.4	0.1	7.9	5.0	28.7	
	3	0.3	20.3	31.5	97.5	0.5	0.1	0.3	20.2	0.2	0.1	7.8	13.5	43.3	
	4	0.2	28.0	32.3	4.0	0.5	0.1	0.4	19.3	0.3	0.1	7.8	5.0	44.0	
BENONI HOMESTEAD LAKE INLET	1	0.3	14.5	36.0	400.0	0.8	0.0	0.4	19.3	0.2	0.1	8.1	8.0	56.5	
	2	0.3	10.7	20.3	1 246.7	0.5	0.0	0.9	9.8	0.3	0.1	7.4	6.7	24.7	
	3	0.1	5.0	37.3	860.0	0.5	0.0	1.0	17.0	0.3	0.1	7.7	5.0	70.3	
	4	0.1	20.0	33.3	410.5	0.8	0.1	2.1	15.8	0.9	0.1	7.7	5.0	35.7	
BENONI KLEINFONTEIN LAKE INLET	1	0.1	26.0	52.5	3 100.0	0.7	0.3	1.3	49.3	1.1	0.1	7.8	8.0	74.5	
	2	0.1	17.3	49.7	151 266.7	0.4	0.1	0.7	19.2	0.8	0.1	7.6	5.0	60.7	
	3	0.1	17.5	71.0	286 000.0	0.3	0.1	1.5	75.3	1.5	0.1	7.7	7.8	91.8	
	4	0.1	32.7	64.3	21 100.0	0.4	0.1	0.5	50.8	1.6	0.3	7.9	12.0	84.7	
BENONI KLEINFONTEIN OUTLET: TOWN - PIONEER ST	1	0.1	64.5	38.0	23.0	0.2	0.2	0.2	34.9	0.1	0.1	9.4	13.0	46.5	
	2	0.8	22.0	26.3	49.0	1.5	0.2	0.6	18.0	0.3	0.1	7.8	29.7	33.7	
	3	0.2	11.0	32.0	135.0	0.6	0.2	0.4	44.8	0.3	0.1	7.7	10.5	51.0	
	4	0.4	78.3	41.3	14.0	0.8	0.4	0.4	20.3	0.7	0.1	8.2	38.3	55.0	
BENONI LEEUPAN OUTLET DALPARK EXT6	1	1.1	122.5	83.5	95.0	1.0	0.1	1.6	82.2	0.3	1.2	8.3	80.0	159.0	
	2	0.3	34.0	66.7	1 020.0	0.4	0.1	1.3	43.3	0.7	0.6	7.5	7.0	59.0	
	3	0.2	19.5	62.0	390.0	0.3	0.1	2.3	101.5	0.7	0.3	7.6	7.3	118.0	
	4	0.5	272.0	92.0	168.3	0.5	0.1	3.7	74.7	2.1	0.6	8.8	109.0	155.7	
BENONI RYNFIELD DAM OUTLET NEXT TO MAIN ENTRANCE	1	0.2	56.0	29.5	1 759.0	0.7	0.0	6.2	18.3	0.8	0.1	8.8	22.0	30.0	
	2	0.4	33.3	21.7	3 281.0	0.4	0.0	0.6	10.9	0.2	0.1	7.9	14.0	20.7	
	3	0.4	72.3	25.8	53.8	0.6	0.0	5.2	13.5	0.6	0.1	8.3	50.0	25.8	
	4	0.4	36.0	26.3	256.3	0.6	0.0	0.8	14.4	0.8	0.1	8.0	26.3	25.7	
BENONI RYNFIELD DAM: SAREL CILLIERS ST	1	0.2	52.5	29.5	1 822.5	0.6	0.0	0.6	18.3	0.3	0.1	8.5	32.5	29.5	
	2	0.4	36.3	21.7	3 685.3	0.5	0.0	0.6	11.2	0.2	0.1	7.9	19.0	20.3	
	3	0.4	61.5	25.8	109.0	0.6	0.0	3.5	15.3	0.5	0.2	8.3	52.8	25.3	
	4	0.4	47.0	26.7	363.3	0.8	0.0	0.7	16.2	1.0	0.1	7.8	28.3	25.7	
BENONI WATTVILLE LEEUPAN INLET DUBE ST	1	0.5	177.5	60.5	139 600.0	0.9	0.3	1.3	51.5	0.6	0.7	7.2	57.5	83.0	
	2	0.1	37.7	91.7	91 933.3	0.6	0.1	4.3	53.1	3.7	0.4	7.5	15.3	164.3	
	3	0.1	15.3	69.5	15 440.0	0.3	0.1	0.4	53.2	3.7	0.1	7.7	6.5	142.0	
	4	0.1	45.7	55.3	225 666.7	0.2	0.1	4.2	29.6	3.5	1.1	7.9	20.3	77.7	
BRAKPAN JAN SMUTS DAM NEXT TO MINE DUMP AT AERATION PUMP	1	0.2	56.0	76.5	682.0	0.4	0.0	1.9	87.0	0.9	0.6	8.3	20.0	75.0	
	2	0.2	223.7	48.7	703.3	0.6	0.3	0.6	33.8	2.2	0.3	8.1	198.7	62.3	
	3	0.2	214.3	65.7	4 370.0	0.3	0.0	2.8	65.2	3.6	0.2	8.0	236.7	79.3	

Quarter 1: 2013/10/01 - 2013/12/31  
 Quarter 3: 2014/04/01 - 2014/06/30

Quarter 2: 2014/01/01 - 2014/03/31  
 Quarter 4: 2014/07/01 - 2014/09/30



<span style="display: inline-block; width: 15px; height: 15px; background-color: #ADD8E6; border: 1px solid black;"></span> Ideal	<span style="display: inline-block; width: 15px; height: 15px; background-color: #00FF00; border: 1px solid black;"></span> Acceptable
<span style="display: inline-block; width: 15px; height: 15px; background-color: #FFFF00; border: 1px solid black;"></span> Tolerable	<span style="display: inline-block; width: 15px; height: 15px; background-color: #FF0000; border: 1px solid black;"></span> Unacceptable

SAMPLE POINT	QUARTER	ELEMENT													
		AL	COD	CONDUCTIVITY	FCOLI	FE	MN	N	NA	NOX	P	PH	SS	SULPHATES	
BRAKPAN JAN SMUTS DAM NEXT TO MINE DUMP AT AERATION PUMP	4	0.3	39.7	68.0	34 406.7	0.5	0.1	5.5	67.0	2.2	0.3	8.1	20.3	77.3	
BRAKPAN JAN SMUTS DAM PUMP STATION OF TALBOT STREET	1	0.4	38.5	79.5	605.0	0.8	0.1	4.2	110.6	2.3	0.2	7.8	15.5	77.0	
	2	1.0	82.7	54.0	743.3	2.3	0.1	0.9	49.8	2.6	0.2	8.7	88.0	67.7	
	3	0.8	39.0	66.0	300.0	2.4	0.1	2.6	64.2	3.7	0.1	7.5	63.7	78.3	
	4	0.2	24.3	72.3	26.3	0.5	0.1	4.5	75.5	3.9	0.1	8.1	7.0	83.7	
BRAKPAN JAN SMUTS DAM QUARRY OUTFLOW INTO DAM	1	0.2	57.5	65.0	240.0	0.5	0.1	3.7	63.7	2.8	0.1	8.2	24.0	64.0	
	2	0.4	79.7	52.3	38 406.7	0.7	0.0	0.5	55.1	2.0	0.3	9.1	45.7	67.0	
	3	0.2	129.0	68.0	8 413.3	0.5	0.1	5.2	76.7	9.7	0.2	7.5	32.0	75.0	
	4	0.2	37.7	65.0	151 900.0	0.4	0.1	6.3	64.4	2.1	0.3	8.0	15.3	74.3	
NIGEL DAM AT BOATLAUNCH NEAR DAMWALL VORSTERSKROON	1	0.3	31.0	51.5	160.0	0.4	0.3	0.1	57.1	0.1	2.1	8.3	14.5	69.5	
	2	0.7	35.7	51.3	1 395.0	0.5	0.3	0.3	43.7	0.2	0.1	7.9	36.0	81.0	
	3	0.2	18.3	55.3	11.3	0.2	0.2	0.3	47.1	0.1	0.1	7.8	5.0	102.3	
	4	0.2	23.0	61.3	3.3	0.2	0.2	0.3	58.6	0.3	0.1	8.1	5.0	240.0	
NIGEL DAM INFLOW FRED WEGENER ROAD VORSTERSKROON	1	0.5	42.5	72.5	305.0	0.5	0.4	0.6	128.7	0.7	1.6	7.8	5.0	69.0	
	2	0.5	57.7	69.0	97.3	3.3	0.4	2.1	59.0	0.3	0.5	7.4	37.7	81.7	
	3	0.1	21.7	75.0	26.0	0.2	0.0	0.9	106.4	1.0	0.1	7.4	5.0	91.7	
	4	0.4	29.7	78.3	22.7	0.3	0.2	0.2	116.0	0.5	0.4	8.0	9.0	80.3	
NIGEL PIET VAN WYK PAN OFF ACCESSROAD FROM BALFOURROAD	1	0.2	87.5	181.0	272.0	0.9	0.1	0.3	197.8	0.1	0.1	8.6	28.0	86.0	
	2	0.1	50.0	192.3	189.7	0.6	0.0	0.2	231.2	0.2	0.1	8.5	11.3	97.3	
	3	0.1	34.3	196.7	65.0	0.3	0.2	0.3	229.7	0.7	0.1	8.0	11.0	97.3	
	4	0.2	46.0	204.0	1.7	0.3	0.2	0.4	253.9	0.3	0.1	8.5	15.3	113.3	
NIGEL SPAARWATER PAN OFF R550	1	0.2	28.5	48.0	59.0	0.2	0.0	0.9	36.2	1.5	0.1	8.1	5.0	70.0	
	2	0.4	13.7	39.7	84 424.3	0.3	0.0	0.7	27.8	2.0	0.1	7.9	8.0	55.7	
	3	0.4	21.7	42.3	110.0	0.4	0.0	0.7	35.5	0.6	0.1	7.9	5.0	61.7	
	4	0.2	108.0	44.3	168.7	0.2	0.0	1.4	32.6	1.2	0.1	7.7	40.3	57.0	
SPRINGS ALEXANDA DAM OUTFLOW	1	0.1	20.5	60.0	376.5	0.2	0.0	0.1	73.3	0.6	0.3	8.3	5.0	78.5	
	2	0.3	31.0	39.3	344.3	0.6	0.3	0.6	42.3	0.8	0.2	7.7	10.0	55.3	
	3	0.1	12.0	50.3	34.8	0.2	0.0	0.3	36.5	0.7	0.1	7.7	5.0	74.5	
	4	0.9	38.7	62.0	17.7	1.6	0.1	0.2	69.4	3.2	0.3	8.3	167.0	76.0	
SPRINGS ALEXANDER DAM INFLOW	1	0.3	27.0	59.5	116.0	0.4	0.1	0.1	66.3	0.6	0.1	8.1	10.5	80.0	
	2	0.6	29.0	39.7	230.0	1.1	0.3	0.6	27.3	0.9	0.2	7.7	9.0	55.7	
	3	0.1	9.5	50.3	30.3	0.1	0.0	0.2	28.3	0.7	0.2	7.9	5.0	73.3	
	4	0.4	19.7	61.7	12.7	0.5	0.1	0.6	67.2	4.2	0.3	8.3	30.7	76.0	

Quarter 1: 2013/10/01 - 2013/12/31  
Quarter 3: 2014/04/01 - 2014/06/30

Quarter 2: 2014/01/01 - 2014/03/31  
Quarter 4: 2014/07/01 - 2014/09/30

 Ideal  
 Tolerable

 Acceptable  
 Unacceptable