

Rand Water  
 Quarterly Water Quality Status of the Klip River Catchment

01 Jan 2011 - 31 Dec 2011



Sample Points	Sample Point Description	Aluminium	Ammonia	Chemical Oxygen Demand	Chloride	Conductivity	Daphnia Toxicity	Dissolved Oxygen	E.coli	Fluoride	Iron	Magnesium	Manganese	Nitrate	pH	Phosphate	Sodium	Sulphate	Suspended Solids
K1	Klip River @ Lido Hotel S26.326 E27.988	0.01	1.90		39	55		4.2		0.24	0.08	14	0.34	1.90	7.1	0.49	38	110	
		<0.01	1.62		38	59		4.9		0.23	0.05	15	0.71	3.02	7.3	0.29	40	121	
		0.01	1.13		44	64		6.7		0.17	0.06	14	5.87	4.32	7.4	0.18	41	118	
		0.04	1.20		42	63		4.8		0.20	0.11	14		4.40	7.0	0.19	43	130	
K10	Klip River @ Everite S26.421 E28.095	0.01	0.98		38	59		5.6		0.26	0.04	15	0.37	2.10	7.3	0.42	36	110	
		0.01	1.30		39	59		6.1		0.26	0.04	15	0.40	2.86	7.3	0.28	38	113	
		0.01	0.69		43	62		6.4		0.13	0.05	14	0.66	4.37	7.5	0.21	41	109	
		0.05	0.88		46	61		5.9		0.17	0.04	15	0.74	2.70	7.2	0.23	44	130	
K11	Klip River from Roodepoort @ R41 Bridge S26.169 E27.833	0.02	0.12		14	34		7.2		0.24	0.03	9	0.20	0.63	6.9	<0.04	12	84	
		0.02	0.28		13	27		5.1		0.16	0.13	7	0.33	0.51	6.7	<0.04	14	62	
		0.03	0.41		17	38		8.8		0.12	0.09	11	0.26	0.95	6.8	<0.04	14	123	
		0.05	0.22		14	40		3.9		0.12	0.03	13	0.24	0.50	6.7	<0.05	14	125	
K14	Klip River from Witpoortjie @ R41 Bridge S26.176 E27.818	0.04	0.12		10	19		6.0		0.37	0.12	3	0.16	0.26	6.4	<0.04	10	33	
		0.02	0.29		14	34		4.9		2.01	0.71	8	1.24	0.72	6.7	<0.04	21	77	
		<0.01	<0.24		13	16		8.5		0.06	0.06	2	0.13	0.12	6.4	<0.04	10	31	
		0.02	0.17		11	21		6.5		0.06	0.03	4	0.18	<0.10	6.5	<0.05	11	49	
K18	Klip River Weir @ Henley-On-Klip S26.549 E28.064	<0.01	0.44		48	65		4.4	5,110	0.31	0.02	18	0.38	2.70	7.3	0.44	44	135	
		<0.01	0.62		49	67		5.6	5,494	0.30	0.02	19	0.30	3.60	7.3	0.25	45	141	
		<0.01	0.86		55	70		6.2	561	0.16	0.04	19	0.46	4.30	7.5	0.33	51	123	
		0.01	1.20		52	66		5.5	3,490	0.24	0.02	17	0.44	3.00	7.3	0.37	50	130	
K19	Klip River Weir @ Redan Train Bridge S26.620 E27.981	<0.01	0.33	24	48	68	100	6.8	5,010	0.29	0.02	18	0.19	3.10	7.2	0.50	42	130	36
		0.01	0.80	27	52	67	100	6.9	4,426	0.27	0.04	19	0.25	3.91	7.5	0.28	45	139	39
		0.02	0.61	30	56	71	100	5.6	1,449	0.17	0.02	19	0.40	4.99	7.5	0.30	45	124	30
		0.01	0.46	29	55	69	100	5.6	1,690	0.25	0.02	16	0.25	4.20	7.4	0.35	51	130	72
K21	Klip River Weir @ Zwartkopjes Farm S26.380 E28.071	0.02	1.60	28	37	55	100	5.8	20,360	0.23	0.06	13	0.36	1.80	7.2	0.48	34	105	57
		0.01	1.22	27	40	59	100	6.1	22,941	0.23	0.04	15	0.47	3.26	7.4	0.22	39	121	27
		<0.01	0.56	26	44	62	100	6.5	1,203	0.14	0.04	15	0.66	4.63	7.4	0.18	40	109	20
		0.02	0.68	28	41	61	100	5.9	6,920	0.21	0.02	14	0.76	3.60	7.3	0.20	43	115	56
K25	Klip River downstream of Rietspruit Confluence S26.456 E28.085	0.01	0.82		47	66		5.4	10,080	0.30	0.02	17	0.27	2.50	7.4	0.55	43	130	
		<0.01	1.31		49	67		5.9	52,680	0.27	0.02	18	0.36	2.98	7.4	0.29	46	135	
		<0.01	1.11		55	71		6.5	1,727	0.15	0.03	18	0.51	4.00	7.5	0.25	49	128	
		0.03	1.40		43	67		5.4	16,370	0.21	0.02	17	0.45	2.60	7.2	0.29	52	120	
K3	Harringtonspruit @ Nancefield Industrial Area S26.310 E27.912	0.04	0.12		43	48		7.2		0.15	0.05	9	0.04	3.90	7.1	0.56	37	52	
		0.05	0.33		45	53		4.7		0.16	0.02	9	0.11	3.60	7.5	0.45	45	58	
		0.01	0.65		45	56		7.1		0.13	0.02	9	0.05	4.03	7.6	0.33	43	57	
		0.02	0.35		48	54		5.5		0.15	0.02	9	0.04	2.10	7.4	0.31	53	51	
K4	Klip River @ Olifantsvlei Sewage Works S26.337 E27.903	<0.01	0.16		28	54		4.7	9,840	0.26	0.02	15	0.62	2.20	7.0	0.18	28	145	
		0.06	1.46		28	56		5.6	11,678	0.30	0.02	14	1.21	2.84	7.2	0.11	30	154	
		0.01	2.27		36	60		8.1	4,608	0.13	0.03	14	1.43	3.40	7.6	0.16	35	120	
		0.02	2.80		32	62		5.5	900	0.16	0.03	14	2.30	1.60	7.5	0.09	49	140	
K5	Klipspruit @ Kliptown S26.290 E27.886	<0.01	2.70		24	64		6.8		0.26	0.02	16	1.80	2.00	6.6	0.12	26	220	
		0.02	5.69		29	71		5.5		0.34	0.02	19	2.35	2.96	7.2	0.06	30	255	
		<0.01	10.12		35	81		7.9		0.16	0.08	18	2.75	0.62	7.6	0.05	34	238	
		0.02	8.50		29	74		4.5		0.22	0.77	17	2.60	0.45	6.9	0.15	33	250	
K6	Klip River @ Soweto N12 Highway S26.295 E27.837	0.04	0.16		17	44		5.1		0.23	0.04	15	0.46	1.40	7.0	18.00	0.14	110	
		0.03	0.32		19	50		3.8		0.27	0.03	17	0.28	1.92	7.4	0.11	21	120	
		<0.01	1.89		25	60		6.5		0.18	0.03	21	0.58	1.52	7.5	0.31	25	147	
		0.01	5.00		22	62		3.1		0.17	0.10	21	1.80	0.48	7.3	0.65	30	135	
E17	Elsburgspruit @ Heidelberg Road S26.250 E28.204	<0.01	6.40		55	93		2.0	478,470	0.47	0.06	23	2.40	0.16	7.2	0.05	52	265	
		<0.01	6.13		89	101		2.2	191,066	0.80	0.51	27	2.42	0.62	7.2	0.07	66	275	
		0.01	3.67		105	104		3.2	84,912	0.30	0.05	22	1.11	2.41	7.1	0.13	59	202	
		0.01	6.30		135	105		1.6	79,970	0.48	0.24	16	1.40	0.65	7.3	0.92	82	160	
E2	Stream @ Witwatersrand Gold Mine S26.262 E28.222	0.23	1.70		20	80		3.7		0.26	0.07	6	0.12	0.66	7.0	0.13	22	400	
		0.12	1.48		22	77		6.0		0.26	0.05	7	0.22	1.03	7.1	0.11	24	463	
		0.02	0.69		22	50		6.3		0.16	0.06	9	0.48	1.32	7.1	<0.04	19	111	
		0.06	1.00		18	51		7.7		0.23	0.06	7	0.29	0.21	6.8	0.05	20	150	

**Rand Water**  
**Quarterly Water Quality Status of the Klip River Catchment**

01 Jan 2011 - 31 Dec 2011



Sample Points	Sample Point Description	Aluminium	Ammonia	Chemical Oxygen Demand	Chloride	Conductivity	Daphnia Toxicity	Dissolved Oxygen	E.coli	Fluoride	Iron	Magnesium	Manganese	Nitrate	pH	Phosphate	Sodium	Sulphate	Suspended Solids
E7	Elsburgspruit @ Elsburg Town S26.250 E28.204	0.02	6.10		48	92		2.9		0.37	0.04	22	2.20	1.00	7.1	0.14	42	300	
		0.01	6.30		47	92		4.5		0.38	0.05	25	3.30	1.45	7.0	0.04	38	336	
		0.01	7.87		52	104		5.9		0.67	0.15	24	2.50	1.18	7.0	0.17	42	374	
		0.01	12.00		50	100		3.0		0.30	0.08	23	2.20	0.18	7.3	0.36	45	260	
E8	Stream @ Elspark S26.262 E28.222	0.04	0.16		17	44		5.1		0.23	0.04	15	0.46	1.40	7.0	18.00	0.14	110	
		0.01	0.24		91	193		7.0		0.33	0.01	121	0.63	1.02	7.3	<0.04	104	1083	
		<0.01	0.75		124	229		9.5		0.13	0.01	105	0.68	0.87	7.1	0.04	127	1470	
		0.01	0.42		105	225		6.2		0.23	<0.01	120	1.50	0.68	7.0	<0.05	120	69	
N4	Natalspruit from Simmer and Jack Mine S26.240 E28.124	1.40	1.70		110	125		5.2		1.70	13.00	42	12.00	1.20	4.6	<0.04	28	510	
		5.35	1.83		144	143		5.4		0.67	18.00	59	17.50	1.52	3.7	<0.04	34	739	
		6.08	3.39		170	126		6.2		0.76	23.80	50	18.60	1.39	4.8	<0.04	27	643	
		4.60	0.74		130	135		3.7		0.65	28.00	50	22.00	0.59	4.4	<0.05	24	345	
N7	Natalspruit @ Alrode S26.298 E28.144	0.04	0.92		32	62		4.8	15,070	0.33	0.47	18	3.30	1.50	6.3	<0.04	21	295	
		0.02	1.75		41	82		5.7	4,543	0.34	0.09	28	4.68	1.77	6.5	<0.04	29	305	
		0.02	3.76		49	67		6.6	11,077	0.35	0.05	21	4.45	1.38	6.8	<0.04	21	346	
		0.00	2.20		50	72		5.4	6,090	0.38	0.04	21	4.40	0.68	6.7	<0.05	21	285	
N8	Natalspruit @ Heidelberg Road S26.426 E28.165	0.01	1.90	19	59	71	100	5.6	30,570	0.36	0.02	19	0.37	2.10	7.4	0.35	43	150	14
		0.01	3.32	24	69	75	100	5.7	15,211	0.34	0.03	21	0.37	2.73	7.4	0.26	49	156	13
		0.02	5.35	31	76	82	100	6.3	24,665	0.21	0.04	21	0.45	2.94	7.5	0.43	49	153	17
		0.01	5.90	27	72	80	100	4.6	22,620	0.36	0.03	19	0.48	2.40	7.5	0.65	57	145	16
R1	Rietspruit from Sallies S26.305 E28.336	<0.01	0.12		83	155		4.3		0.20	0.06	44	0.30	0.75	6.5	<0.04	99	880	
		<0.01	1.48		86	149		6.1		0.38	0.02	50	0.31	0.39	7.0	0.20	99	685	
		<0.01	1.94		136	278		9.7		0.41	0.02	69	0.22	2.70	7.1	<0.04	291	1286	
		0.01	0.12		120	270		3.0		0.10	0.02	70	0.50	0.26	7.0	<0.05	200	35	
R2	Withokspruit Tributary S26.324 E28.338	0.17	0.45		29	46		5.2		0.31	0.10	14	0.12	0.79	7.2	0.06	24	48	
		0.02	0.46		32	52		7.0		0.34	0.02	16	0.64	1.37	7.6	0.04	26	79	
		<0.01	1.34		29	48		8.1		0.21	0.04	18	0.29	0.39	8.1	0.06	25	85	
		0.02	0.17		19	50		6.1		0.34	0.04	18	0.28	0.43	7.1	0.10	22	125	
R3	Tributary @ Van Dyk Consolidated S26.259 E28.321	0.02	0.12		27	50		5.0		0.44	0.04	14	0.08	0.36	7.3	0.13	29	80	
		0.02	0.24		28	64		6.3		0.53	0.02	16	0.19	0.58	7.5	0.04	29	94	
		0.01	0.33		19	38		7.3		0.36	0.13	10	0.28	0.65	7.5	0.14	15	57	
		0.01	0.17		14	35		7.1		0.38	0.07	9.3	0.12	0.24	7.1	<0.05	16	46	
R4	Rietspruit @ Vosloorus S26.372 E28.245	<0.01	0.12		73	110		5.1		0.42	<0.01	43	0.08	0.20	7.4	0.06	62	425	
		<0.01	0.24		76	121		6.5		0.50	0.01	56	1.11	1.58	7.7	0.05	63	398	
		<0.01	0.25		110	195		7.6		0.22	0.02	80	0.25	1.57	7.8	0.09	112	646	
		0.01	0.12		125	210		5.1		0.31	0.01	105	0.28	0.12	7.4	<0.05	99	395	
R5	Rietspruit @ Hardmans Farm S26.429 E28.181	<0.01	0.21		52	88		6.4	181,760	0.37	0.01	42	0.14	0.75	7.8	0.08	50	330	
		<0.01	0.24		77	120		6.6	12,935	0.40	0.01	57	0.11	1.36	8.0	0.06	62	359	
		<0.01	0.94		87	145		7.5	27,959	0.18	0.01	63	0.26	1.92	8.1	0.21	70	433	
		0.01	0.21		62	145		6.7	25,150	0.25	0.01	74	0.39	0.72	7.8	0.09	76	240	
R6	Rietspruit @ Hardmans Farm S26.429 E28.181	0.06	0.68	18	46	70	100	5.7	5,460	0.32	0.05	21	0.18	2.00	7.5	0.28	41	145	38
		<0.01	1.80	20	71	83	100	5.2	11,373	0.33	0.02	27	0.28	3.11	7.5	0.21	52	201	14
		0.01	4.05	27	76	90	100	5.8	2,870	0.21	0.02	26	0.40	2.78	7.6	0.32	53	220	14
		0.01	4.00	26	67	86	100	3.9	4,660	0.28	0.02	23	0.38	2.50	7.4	0.54	61	180	42

**Key**

N4	Natalspruit from Simmer and Jack Mine	1.40	1.70	- 1 Jan to 31 Mar 2011
		5.35	1.83	- 1 Apr to 30 Jun 2011
		6.08	3.39	- 1 Jul to 30 Sep 2011
		4.60	0.74	- 1 Oct to 31 Dec 2011

**Water Quality Guidelines**

	- Ideal
	- Acceptable
	- Tolerable
	- Unacceptable